

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) In a portable computer system, a method for selecting an application form according to a type of communication interface, said method comprising ~~the steps of~~:

- a) entering a mode for executing an application;
- b) reading a resistance value of a single pin on a cradle element that receives said portable computer system and that couples said portable computer system to a second computer system, wherein a unique resistance value is associated with each type of communication interface that can be used with said cradle element;
- c) identifying a type of communication interface used with said cradle element according to said resistance value read from said single pin ~~in said step b~~); and
- d) selecting a form of said application used with said type of communication interface ~~connection~~ identified in said step c).

2. (Previously Presented) The method as recited in Claim 1 wherein said step a) is responsive to input from a user that is independent of said type of communication interface.

3. (Canceled).

4. (Currently Amended) The method as recited in Claim 1 wherein said step c) comprises ~~the step of~~:

- c1) identifying said type of communication interface according to a voltage value for said pin.

5. (Original) The method as recited in Claim 1 wherein said application is for debugging applications on said portable computer system.

6. (Original) The method as recited in Claim 1 wherein said application is for sharing information between said portable computer system and said second computer system.

7. (Previously Presented) The method as recited in Claim 1 wherein said type of communication interface comprises a Universal Serial Bus (USB) connection and wherein said application is used with a USB communication interface.

8. (Previously Presented) The method as recited in Claim 1 wherein said type of communication interface comprises an RS232 connection and wherein said application is used with an RS232 communication interface.

9. (Currently Amended) A portable computer system comprising:
a bus;
a handwriting recognition pad coupled to said bus, said handwriting recognition pad comprising a first region for alphabetic characters and a second region for numeric characters;

a communication interface port coupled to said bus, said communication interface port operable to couple with a cradle element, said cradle element comprising a plurality of pins ~~pin~~, wherein a resistance value of ~~said a single pin~~ of said plurality of pins indicates a type of communication interface used by said

cradle element to communicate with a second computer system also operable to couple with said cradle element; and

a processor coupled to said bus;

said processor for performing a method for selecting an application form according to said type of communication interface, said method comprising:

a) entering a mode for executing an application;

b) reading a resistance value of said single pin, wherein a unique resistance value is associated with each type of communication interface that can be used with said cradle element;

c) identifying a type of communication interface according to said resistance value read from said single pin in said step b); and

d) selecting a form of said application used with said type of ~~connection~~ communication interface identified in said step c); and

e) actuating said application in response to a first character entered in said first region of said handwriting recognition pad and a second character entered into said second region of said handwriting recognition pad.

10. (Canceled).

11. (Canceled).

12. (Currently Amended) The portable computer system of Claim 9 wherein said step c) of said method comprises ~~the step of:~~

c1) identifying said type of communication interface according to a voltage value for said pin.

13. (Original) The portable computer system of Claim 9 wherein said application is for debugging applications on said portable computer system.

14. (Original) The portable computer system of Claim 9 wherein said application is for sharing information between said portable computer system and said second computer system.

15. (Previously Presented) The portable computer system of Claim 9 wherein said type of communication interface comprises a Universal Serial Bus (USB) connection and wherein said application is used with a USB communication interface.

16. (Previously Presented) The portable computer system of Claim 9 wherein said type of communication interface comprises an RS232 connection and wherein said application is used with an RS232 communication interface.

17. (Currently Amended) In a system comprising a portable computer system and a second computer system communicatively coupled via a cradle element, a method for selecting an application form used with a type of communication interface used by said cradle element, said method comprising the steps of:

a) reading at said portable computer system a resistance value of a single pin on said cradle element, wherein a unique resistance value is associated with each type of communication interface that can be used with said cradle element;

b) identifying at said portable computer system a type of communication interface, wherein said type of communication interface is identified by said resistance value read from said single pin; and

c) selecting at said portable computer system a form of an application corresponding to said type of communication interface, wherein said application is executed collaboratively on said portable computer system and on said second computer system.

18. (Previously Presented) The method as recited in Claim 17 wherein said reading of said step a) is responsive to input from a user that is independent of said type of communication interface.

19. (Currently Amended) The method as recited in Claim 17 wherein said step b) comprises ~~the step of~~:

b1) identifying said type of communication interface according to a voltage value for said pin.

20. (Original) The method as recited in Claim 17 wherein said application is for debugging applications on said portable computer system.

21. (Original) The method as recited in Claim 17 wherein said application is for sharing information between said portable computer system and said second computer system.

22. (Original) The method as recited in Claim 17 wherein said type of communication interface comprises a Universal Serial Bus (USB) connection and wherein said application is used with a USB communication interface.

23. (Original) The method as recited in Claim 17 wherein said type of communication interface comprises an RS232 connection and wherein said application is used with an RS232 communication interface.